

# The materials age

Gareth Conduit

TCM Group, Department of Physics

Stone age:

3.4 million BC – 2000 BC



**1.9 million BC**  
**Olduvai Gorge, Tanzania**

Bronze age:

2000 BC – 1000 BC



**1.9 million BC**  
**Olduvai Gorge, Tanzania**



**1200 BC**  
**Britain**

Iron age:

1000 BC – 1850 AD



**1.9 million BC**  
**Olduvai Gorge, Tanzania**



**1200 BC**  
**Britain**



**300 BC**  
**Yorkshire**

# Steel age:

1850 AD – 1930 AD



**1.9 million BC**  
**Olduvai Gorge, Tanzania**



**1200 BC**  
**Britain**



**300 BC**  
**Yorkshire**



**1906**  
**Portsmouth**

# Modern materials: ceramics



# Modern materials: plastics



# Modern materials: composites





# Modern materials: rubbers

- Potential energy in elastic band

$$E = \frac{1}{2} kx^2 = \frac{1}{2} Fx = \frac{1}{2} 10 \times 0.1 = 0.5 \text{ J}$$



# Modern materials: rubbers

- Potential energy in elastic band
- Kinetic energy in handgun bullet

$$E = \frac{1}{2} kx^2 = \frac{1}{2} Fx = \frac{1}{2} 10 \times 0.1 = 0.5 \text{ J}$$

$$E = \frac{1}{2} mv^2 = \frac{1}{2} 0.005 \times 300^2 = 225 \text{ J}$$



# Modern materials: rubbers

- Potential energy in elastic band
- Kinetic energy in handgun bullet
- Potential energy in enormous band

$$E = \frac{1}{2} kx^2 = \frac{1}{2} Fx = \frac{1}{2} 10 \times 0.1 = 0.5 \text{ J}$$

$$E = \frac{1}{2} mv^2 = \frac{1}{2} 0.005 \times 300^2 = 225 \text{ J}$$


$$E = \frac{1}{2} kx^2 = \frac{1}{2} Fx = \frac{1}{2} 100 \times 5 = 250 \text{ J}$$




# Modern materials: alloys




# Jet engine: military jet



# Jet engine: turbine discs



# Designing a new alloy – what is required ?



# Multidimensional design space

Cr



Co



Mo



W



Ta



Nb



Al



Ti



Fe



Mn



Si



C



B



Zr



Cu



N



P



V



Hf



Mg



Ni



and 4 different manufacturing processes



# Selection of design space




# Selection of design space





# Automated sampling - parallel optimization




# Predicted material




# Predicted material




# Yield stress



# Yield stress



# Yield stress





# Conclusions: scientific

- Developed new algorithms to optimize a material's properties
- Manufactured alloys fulfill physical criteria

# Conclusions: why study material sciences?

- Union of different sciences that encourages analysis with a variety of techniques – analytical, numerics, and experiments
- Close connection to real-world problems
- Strong academic funding and well-paid industrial jobs